Applicant : Cy A. Stein Serial No.: 09/832,648 : April 11, 2001

36.

Page 2

3-13, wherein one ormore sugar oligonucleotide contain an -OMe group at its 2'

position. -

26. (2X Amended) A method of promoting the regression of vascular lesions, comprising introducing into a vascular cell an amount of a composition of matter comprising an antisense oligonucleotide consecutive nucleotides, nucleotide sequence of which is set forth in one of SEQ ID NOS:1 and 3-13, effective to reduce the levels of bcl-xL protein produced, promoting the regression of vascular lesions, wherein one or more sugar of the oligonucleotide

(Amended) A composition of matter comprising an antisense oligonucleotide comprising consecutive nucleotides, the nucleotide sequence of which is set forth in one of SEQ ID NOS:1 and 3-13, wherein one or more sugar of the oligonucleotide is modified at its 2' position. --

contain an -OMe group at its 2' position. -

Please add new claims 63, 64 and 65 as follows:

--63.

(New) An antisense oligonucleotide consisting of consecutive nucleotides, the nucleotide sequence of which is set forth in SEQ ID NO:2, wherein one or more sugar of the oligonucleotide contain an -OMe group at its 2' position. --

--64. (New) A method of promoting the regression of vascular lesions, comprising introducing into a